INDEX TO AUTHORS

A

ABELL, C. W., and MONAHAN, T. M. The role of adenosine 3′,5′-cyclic monophosphate in the regulation of mammalian cell division, 549

ALLEN, R. D. See TAYLOR, CONDEELIS, MOORE, and ALLEN, 378

ARMSTRONG, JUDITH E., and JONES, RUSSELL L. Osmotic regulation of α-amylase synthesis and polyribosome formation in aleurone cells of barley, 444

AUTILIO-GAMBETTI, LUCILA. See GAMBETTI, AUTILIO-GAMBETTI, SHAFER, and PFAFF, 677

AVRAMEAS, STRATIS. See GONATAS and AVRAMEAS, 436

AXLINE, STANTON G. See REAVEN and AXLINE, 12

B

BAGGIOLINI, MARCO. See BRETZ and BAGGIOLINI, 696

BÂRZU, OCTAVIAN. See HODÂRNĂU, DANCEA, and BÂRZU, 222

BEACHAM, W. S. See KONISHI, BEACHAM, and HUNT, 749

BERENDES, H. D. See DERKSEN, BERENDES, and WILLART, 661

BERGERON, J. J. M., EHRENREICH, J. H., SIEKEVITZ, P., and PALADE, GEORGE E. Golgi fractions prepared from rat liver homogenates. II. Biochemical characterization, 73

—, EVANS, W. H., and GESCHWIND, I. I. Insulin binding to rat liver Golgi fractions, 771

—. See EHRENREICH, BERGERON, SIEKEVITZ, and PALADE, 45

BISSELL, D. MONTGOMERY, HAMMAKER, LYDIA E., and MEYER, URS A. Parenchymal cells from adult rat liver in nonproliferating monolayer culture. I. Functional studies, 722

—. See CHAPMAN, JONES, MEYER, and BISSELL, 735

BLUEMINK, JOHN G., and DE LAAT, SIEGFRIED W. New membrane formation during cytokinesis in normal and cytochalasin B-treated eggs of *Xenopus laevis*. I. Electron microscopical observations, 89

BONUCCI, E., DERENZINI, M., and MARINOZZI, V. The organic-inorganic relationship in calcified mitochondria, 185

BORUN, THADDEUS M. See MAUL, HSU, BORUN, and MAUL, 669

BOSMANN, H. BRUCE. Molecules at the external nuclear surface. Sialic acid of nuclear membranes and electrophoretic mobility of isolated nuclei and nucleoli, 601

BOWERS, BLAIR, and KORN, EDWARD D. Cytochemical identification of phosphatase activity in the contractile vacuole of *Acanthamoeba castellanii*, 784

BOWERS, WILLIAM E. Lysosomes in rat thoracic duct lymphocytes fractionated by zonal centrifugation, 177

BRETZ, URSULA, and BAGGIOLINI, MARCO. Association of the alkaline phosphatase of rabbit polymorphonuclear leukocytes with the membrane of the specific granules, 696

BRINKLEY, B. R. See MCGILL, HSU, and BRINKLEY, 260

BRYAN, JOSEPH. See TILNEY, BRYAN, BUSH, FUJIWARA, MOOSEKER, MURPHY, and SNYDER, 267

BUNGE, R. P. See SCHLAEPFER and BUNGE, 456

BURGER, MAX M. See NOONAN and BURGER, 134

BURNSIDE, BETH, KOZAK, CHRIS, and KAFATOS, F. C. Tubulin determination by an isotope dilution-vinblastine precipitation method. The tubulin content of *Spisula* eggs and embryos, 755

BUSH, DORIS J. See TILNEY, BRYAN, BUSH, FUJIWARA, MOOSEKER, MURPHY, and SNYDER, 267

C

CHAPMAN, GEOFFREY S., JONES, ALBERT L., MEYER, URS A., and BISSELL, D. MONTGOMERY. Parenchymal cells from adult rat liver in nonproliferating monolayer culture. II. Ultrastructural studies, 735

CHARALAMPOUS, F. C., GONATAS, NICHOLAS K., and MELBOURNE, A. D. Isolation and properties of the plasma membrane of KB cells, 421

CONDEELIS, J. S. See TAYLOR, CONDEELIS, MOORE, and ALLEN, 378

CONRAD, GARY W., WILLIAMS, DANIEL C., TURNER, F. RUDOLF, NEWROCK, KENNETH M., and RAFF, RUDOLF A. Microfilaments in the polar lobe constriction of fertilized eggs of *Ilyanassa obsoleta*, 228

COOPER, HERBERT L. Degradation of 28S RNA late in ribosomal RNA maturation in nongrowing lymphocytes and its reversal after growth stimulation, 250

COX, JOYCE P., and KARNOVSKY, MANFRED, L. The depression of phagocytosis by exogenous cyclic nucleotides, prostaglandins, and theophylline, 480

CRISSMAN, HARRY A., and STEINKAMP, JOHN A. Rapid, simultaneous measurement of DNA, protein, and cell volume in single cells from large mammalian cell populations, 766

D

DALES, SAMUEL, HSU, KONRAD C., and NAGAYAMA, ARIAKI. The fine structure and immunological labeling of the achromatic mitotic apparatus after disruption of cell membranes, 643

DANCEA, SILVIA. See HODÂRNĂU, DANCEA, and BÂRZU, 222

DAVIDSON, SAMUEL JAMES. Protein absorption by renal cells. II. Very rapid lysosomal digestion of exogenous ribonuclease in vitro, 213

DE BAULT, LAWRENCE E. See GABE and DE BAULT, 615

—. See JEFFERY, FRANKEL, DE BAULT, and JENKINS, 1

DE DUVE, CHRISTIAN. See LAZAROW and DE DUVE, 491, 507

DEHAN, R. S. See GRAZIADEI and DEHAN, 525

DE LAAT, SIEGFRIED W. See BLUEMINK and DE LAAT, 89

DERENZINI, M. See BONUCCI, DERENZINI, and MARINOZZI, 185

DERKSEN, J., BERENDES, H. D., and WILLART, E. Production and release of a locus-specific ribonucleoprotein product in polytene nuclei of *Drosophila hydei*, 661

DESTEFANO, MARY JO. See RABINOVITCH and DESTEFANO, 165

E

EHRENREICH, J. H., BERGERON, J. J. M., SIEKEVITZ, P., and PALADE, GEORGE E. Golgi fractions prepared from rat liver homogenates. I. Isolation procedure and morphological characterization, 45

—. See BERGERON, EHRENREICH, SIEKEVITZ, and PALADE, 73

ELLINGBOE, ALBERT H. See WATRUD and ELLINGBOE, 127

EVANS, W. H. See BERGERON, EVANS, and GESCHWIND, 771

F

FARQUHAR, MARILYN G. See HOPKINS and FARQUHAR, 276

FONTE, VIRGINIA. See PORTER, TODARO, and FONTE, 633

FRANKEL, JOSEPH. See JEFFERY, FRANKEL, DE BAULT, and JENKINS, 1

FUJIWARA, KEIGI. See TILNEY, BRYAN, BUSH, FUJIWARA, MOOSEKER, MURPHY, and SNYDER, 267

G

GABE, P. R., and DE BAULT, LAWRENCE E. Macromolecular syntheses related to the reproductive cyst of *Tetrahymena patula*, 615

GAMBETTI, PIERLUIGI, AUTILIO-GAMBETTI, LUCILA, SHAFER, BRENDA, and PFAFF, LADORNA. Quantitative autoradiographic study of labeled RNA in rabbit optic nerve after intraocular injection of ^3H uridine, 677

GESCHWIND, I. I. See BERGERON, EVANS, and GESCHWIND, 771

GIBBS, SARAH P., and POOLE, RONALD J. Autoradiographic evidence for many segregating DNA molecules in the chloroplast of *Ochromonas danica*, 318

GONATAS, NICHOLAS K., and AVRAMEAS, STRATIS. Detection of plasma membrane carbohydrates with lectin peroxidase conjugates, 436

—. See CHARALAMPOUS, GONATAS, and MELBOURNE, 421

GRAZIADEI, P. P. C., and DEHAN, R. S. Neuronal regeneration in frog olfactory system, 525

H

HAMMAKER, LYDIA E. See BISSELL, HAMMAKER, and MEYER, 722

HAN, SEONG S. See LILLIE and HAN, 708

HATANO, SADASHI. See TILNEY, HATANO, ISHIKAWA, and MOOSEKER, 109

HEDING, LINDA D., and WOLFF, DAVID A. The cytochemical examination of poliovirus-induced cell damage, 530

HEYWOOD, P. See SIMMONS, HEYWOOD, and HODGE, 150

HIRSCHBERG, RONA. See STAVIS and HIRSCHBERG, 367

HODÂRNĂU, ADRIANA, DANCEA, SILVIA, and BÂRZU, OCTAVIAN. Isolation of highly purified mitochondria from rat pancreas, 222

HODGE, L. See SIMMONS, HEYWOOD, and HODGE, 150

HOPKINS, COLIN R., and FARQUHAR, MARILYN G. Hormone secretion by cells dissociated from rat anterior pituitaries, 276

HSU, BETTY YEE LI. See MAUL, HSU, BORUN, and MAUL, 669

HSU, KONRAD C. See DALES, HSU, and NAGAYAMA, 643

HSU, T. C. See MCGILL, HSU, and BRINKLEY, 260

HUIMA, TELLERVO. See DALES, HSU, and NAGAYAMA, 643

HUNT, C. C. See KONISHI, BEACHAM, and HUNT, 749

I

IKEHARA, YUKIO, and PITOT, HENRY C. Localization of polysome-bound albumin and serine dehydratase in rat liver cell fractions, 28

ISHIKAWA, HARUNORI. See TILNEY, HATANO, ISHIKAWA, and MOOSEKER, 109

J

JEFFERY, WILLIAM R., FRANKEL, JOSEPH, DE BAULT, LAWRENCE E., and JENKINS, LESLIE M. Analysis of the schedule of DNA replication in heat-synchronized *Tetrahymena*, 1

JENKINS, LESLIE M. See JEFFERY, FRANKEL, DE BAULT, and JENKINS, 1

JONES, ALBERT L. See CHAPMAN, JONES, MEYER, and BISSELL, 735

JONES, RUSSELL L. See ARMSTRONG and JONES, 444

K

KAFATOS, F. C. See BURNSIDE, KOZAK, and KAFATOS, 755

KARNOVSKY, MANFRED L. See COX and KARNOVSKY, 480
KISTLER, GONZAGUE S. See KNÜSEL, LEHNER, KUENZLE, and KISTLER, 762
KNOWLER, JOHN T., MOSES, HAROLD L., and SPELSBERG, THOMAS C. Comparison and characterization of nuclear isolation procedures as applied to chick oviduct, 685
KNÜSEL, ALOIS, LEHNER, BÉATRICE, KUENZLE, CLIVE C., and KISTLER, GONZAGUE S. Isolation of neuronal nuclei from rat brain cortex, 762
KONISHI, A., BEACHAM, W. S., and HUNT, C. C. Centrioles in intrafusal muscle fibers, 749
KORN, EDWARD D. See BOWERS and KORN, 784
KOZAK, CHRIS. See BURNSIDE, KOZAK, and KAFATOS, 755
KUENZLE, CLIVE C. See KNÜSEL, LEHNER, KUENZLE, and KISTLER, 762
KURIYAMA, YOSHIAKI, and LUCK, DAVID J. L. Membrane-associated ribosomes in mitochondria of *Neurospora crassa*, 776

L

LAZAROW, PAUL B., and DE DUVE, CHRISTIAN. The synthesis and turnover of rat liver peroxisomes. IV. Biochemical pathway of catalase synthesis, 491
— and —. V. Intracellular pathway of catalase synthesis, 507
LEHNER, BÉATRICE. See KNÜSEL, LEHNER, KUENZLE, and KISTLER, 762
LILLIE, JOHN H., and HAN, SEONG S. Secretory protein synthesis in the stimulated rat parotid gland. Temporal dissociation of the maximal response from secretion, 708
LUCK, DAVID J. L. See KURIYAMA and LUCK, 776

M

MABUCHI, ISSEI. A myosin-like protein in the cortical layer of the sea urchin egg, 542
MAINS, RICHARD E., and PATTERSON, PAUL H. Primary cultures of dissociated sympathetic neurons. I. Establishment of long-term growth in culture and studies of differentiated properties, 329
— and —. II. Initial studies on catecholamine metabolism, 346
— and —. III. Changes in metabolism with age in culture, 361
MARINOZZI, V. See BONUCCI, DERENZINI, and MARINOZZI, 185
MASSARO, DONALD. See MASSARO and MASSARO, 246
MASSARO, GLORIA D., and MASSARO, DONALD. Pulmonary granular pneumocytes. Loss of mitochondrial granules during hyperoxia, 246
MAUL, GERD G. See MAUL, HSU, BORUN, and MAUL, 669
MAUL, HELMUT M., HSU, BETTY YEE LI, BORUN, THADDEUS M., and MAUL, GERD G. The effect of metabolic inhibitors on nuclear pore formation during the HeLa S_3 cell cycle, 669
MCGILL, MANLEY, HSU, T. C., and BRINKLEY, B. R. Electron-dense structures in mitochondria induced by short-term ethidium bromide treatment, 260
MELBOURNE, A. D. See CHARALAMPOUS, GONATAS, and MELBOURNE, 421
MEYER, URS A. See BISSELL, HAMMAKER, and MEYER, 722
—. See CHAPMAN, JONES, MEYER, and BISSELL, 735
MILLER, LEO. Control of 5S RNA synthesis during early development of anucleolate and partial nucleolate mutants of *Xenopus laevis*, 624
MONAHAN, T. M. See ABELL and MONAHAN, 549
MOORE, P. L. See TAYLOR, CONDEELIS, MOORE, and ALLEN, 378
MOOSEKER, MARK S. See TILNEY, BRYAN, BUSH, FUJIWARA, MOOSEKER, MURPHY, and SNYDER, 267
—. See TILNEY, HATANO, ISHIKAWA, and MOOSEKER, 109
MOSES, HAROLD L. See KNOWLER, MOSES, and SPELSBERG, 685
MURPHY, DOUGLAS B. See TILNEY, BRYAN, BUSH, FUJIWARA, MOOSEKER, MURPHY, and SNYDER, 267

N

NAGAYAMA, ARIAKI. See DALES, HSU, and NAGAYAMA, 643
NEAVES, WILLIAM B. Permeability of Sertoli cell tight junctions to lanthanum after ligation of ductus deferens and ductuli efferentes, 559
NEWROCK, KENNETH M. See CONRAD, WILLIAMS, TURNER, NEWROCK, and RAFF, 228
NICKLAS, R. BRUCE. Methods for gentle, differential heating of part of a single living cell, 595
NICOLSON, GARTH L., and PAINTER, RICHARD G. Anionic sites of human erythrocyte membranes. II. Antispectrin-induced transmembrane aggregation of the binding sites for positively charged colloidal particles, 395
NOONAN, KENNETH D., and BURGER, MAX M. The relationship of concanavalin A binding to lectin-initiated cell agglutination, 134

O

OEI, JANE S. See PARR and OEI, 537
OLINS, DONALD E., and WRIGHT, EVERLINE B. Glutaraldehyde fixation of isolated eucaryotic nuclei. Evidence for histone-histone proximity, 304

P

PAINTER, RICHARD G. See NICOLSON and PAINTER, 395
PALADE, GEORGE E. See BERGERON, EHRENREICH, SIEKEVITZ, and PALADE, 73
—. See EHRENREICH, BERGERON, SIEKEVITZ, and PALADE, 45
PALL, MARTIN L. Sexual induction in *Volvox carteri*. A quantitative study, 238
PARR, EARL L., and OEI, JANE S. Immobilization of membrane H-2 antigens by paraformaldehyde fixation, 537
PATERSON, BRUCE, and PRIVES, JOAV. Appearance

of acetylcholine receptor in differentiating cultures of embryonic chick breast muscle, 241
PATTERSON, PAUL H. See MAINS and PATTERSON, 329, 346, 361
PFAFF, LADORNA. See GAMBETTI, AUTILIO-GAMBETTI, SHAFER, and PFAFF, 677
PITOT, HENRY C. See IKEHARA and PITOT, 28
POOLE, RONALD J. See GIBBS and POOLE, 318
PORTER, KEITH, TODARO, GEORGE J., and FONTE, VIRGINIA. A scanning electron microscope study of surface features of viral and spontaneous transformants of mouse Balb/3T3 cells, 633
PRIVES, JOAV. See PATERSON and PRIVES, 241

R

RABINOVITCH, MICHEL, and DESTEFANO, MARY JO. Manganese stimulates adhesion and spreading of mouse Sarcoma I ascites cells, 165
RAFF, RUDOLF A. See CONRAD, WILLIAMS, TURNER, NEWROCK, and RAFF, 228
REAVEN, EVE P., and AXLINE, STANTON G. Subplasmalemmal microfilaments and microtubules in resting and phagocytizing cultivated macrophages, 12
ROSENBLUTH, JACK. Membrane specialization at an insect myoneural junction, 143

S

SCHLAEPFER, W. W., and BUNGE, R. P. The effects of calcium ion concentration on the degeneration of amputated axons in tissue culture, 456
SHAFER, BRENDA. See GAMBETTI, AUTILIO-GAMBETTI, SHAFER, and PFAFF, 677
SHERMAN, R. G. Unique arrangement of glial membranes between adjacent neuromuscular synapses in a spider muscle, 234
SIEKEVITZ, P. See BERGERON, EHRENREICH, SIEKEVITZ, and PALADE, 73
—. See EHRENREICH, BERGERON, SIEKEVITZ, and PALADE, 45
SIMMONS, T., HEYWOOD, P., and HODGE, L. Nuclear envelope-associated resumption of RNA synthesis in late mitosis of HeLa cells, 150
SNYDER, DANIEL H. See TILNEY, BRYAN, BUSH, FUJIWARA, MOOSEKER, MURPHY, and SNYDER, 267
SOMMER, J. R. See WAUGH, SPRAY, and SOMMER, 254
SPELSBERG, THOMAS C. See KNOWLER, MOSES, and SPELSBERG, 685
SPIELHOLZ, NEIL I., and VAN DER KLOOT, WILLIAM G. Localization and properties of the cholinesterase in crustacean muscle, 407
SPRAY, T. L. See WAUGH, SPRAY, and SOMMER, 254
STAVIS, ROBERT L., and HIRSCHBERG, RONA. Phototaxis in *Chlamydomonas reinhardtii*, 367
STEINKAMP, JOHN A. See CRISSMAN and STEINKAMP, 766
STORRIE, BRIAN. Antagonism by dibutyryl adenosine cyclic 3′,5′-monophosphate and testosterone of cell rounding reactions, 471

T

TAYLOR, D. L., CONDEELIS, J. S., MOORE, P. L., and ALLEN, R. D. The contractile basis of amoeboid movement. I. The chemical control of motility in isolated cytoplasm, 378
TILNEY, LEWIS G., BRYAN, JOSEPH, BUSH, DORIS J., FUJIWARA, KEIGI, MOOSEKER, MARK S., MURPHY, DOUGLAS B., and SNYDER, DANIEL H. Microtubules: Evidence for 13 protofilaments, 267
—, HATANO, SADASHI, ISHIKAWA, HARUNORI, and MOOSEKER, MARK S. The polymerization of actin: Its role in the generation of the acrosomal process of certain echinoderm sperm, 109
TODARO, GEORGE J. See PORTER, TODARO, and FONTE, 633
TURNER, F. RUDOLF. See CONRAD, WILLIAMS, TURNER, NEWROCK, and RAFF, 228

V

VAN DER KLOOT, WILLIAM G. See SPIELHOLZ and VAN DER KLOOT, 407

W

WATRUD, LIDIA S., and ELLINGBOE, ALBERT H. Cobalt as a mitochondrial density marker in a study of cytoplasmic exchange during mating of *Schizophyllum commune*, 127
WAUGH, R. A., SPRAY, T. L., and SOMMER, J. R. Fenestrations of sarcoplasmic reticulum. Delineation by lanthanum acting as a fortuitous tracer and in situ negative stain, 254
WILLART, E. See DERKSEN, BERENDES, and WILLART, 661
WILLIAMS, DANIEL C. See CONRAD, WILLIAMS, TURNER, NEWROCK, and RAFF, 228
WOLFF, DAVID A. See HEDING and WOLFF, 530
WRIGHT, EVERLINE B. See OLINS and WRIGHT, 304

Z

ZOBEL, C. RICHARD. Effect of solution composition and proteolysis on the conformation of axonemal components, 573

INDEX TO SUBJECTS

A

Acetylcholine receptor in differentiating cultures of chick embryo breast muscle, biochemical and cytological study, 241

Acrosomal process, echinoderm sperm, polymerization of actin, biochemical and light and EM study, 109

Actin polymerization in acrosomal process of echinoderm sperm, biochemical and light and EM study, 109

Adenosine 3′,5′-monophosphate, cyclic dibutyryl, and testosterone, antagonism of cell rounding reactions, in CHO-K1 cells, cytological study, 471

—, cyclic, prostaglandins, and theophylline, depression of phagocytosis by polymorphonuclear leukocytes, biochemical study, 480

—, cyclic, role in regulation of mammalian cell division, review article, 549

Adhesion and spreading by mouse Sarcoma I ascites cells, stimulation by manganese, cytological study, 165

Age, effect on metabolism in tissue culture, rat dissociated sympathetic neurons, biochemical study, 361

Agglutination, lectin-initiated, in 3T3 and Py3T3 cells, relationship to concanavalin A binding, biochemical and cytological study, 134

Albumin, polysome-bound, and serine dehydratase, localization in rat liver cell fractions, biochemical and autoradiographic study, 28

Aleurone cells, barley, osmotic regulation of α-amylase synthesis and polyribosome formation, biochemical and EM study, 444

Alga *Chlamydomonas reinhardi*, phototaxis and motility, biochemical study, 367

— *Ochromonas danica*, chloroplast, DNA synthesis, autoradiographic and light and EM study, 318

Amputation, nerve fibers of rat sensory ganglia, effects of calcium on degeneration, light and EM study, 456

α-Amylase synthesis, and polyribosome formation, osmotic regulation, aleurone cells of barley, biochemical and EM study, 444

Anionic binding sites, human erythrocyte membrane, anti-spectrin-induced transmembrane aggregation, immunological and EM study, 395

Antigens, H-2, immobilization of by paraformaldehyde fixation, mouse spleen and peritoneal cavity cells, EM study, 537

Axon, rat sensory ganglia, degenerative changes in amputation, effects of calcium, light and EM study, 456

Axon regeneration, frog olfactory system, EM study, 525

Axoneme, sea urchin sperm, effect of solution composition and enzymic proteolysis on conformation, biochemical and light and EM study, 573

B

Basidomycete *Schizophyllum commune*, cobalt as mitochondrial density marker in cytoplasmic exchange during matings, histochemical study, 127

Binding sites, organic, and inorganic inclusions, calcification of mitochondria, EM study, 185

Bird, protozoa, and echinoderm, microtubules, 13 protofilaments, EM study, 267

Brain, rat, isolation of neuronal nuclei and perikarya from cortex, biochemical and EM study, 762

C

Calcification of mitochondria in rat hepatic, myocardial, skeletal muscle, and human bowel carcinoma cells, inorganic inclusions and organic binding sites, EM study, 185

Calcium, effects on degeneration of amputated axons of rat sensory ganglia in tissue culture, light and EM study, 456

—, role in control of contractile movement of isolated cytoplasm, ameba *Chaos carolinensis*, light and EM study, 378

Carbohydrates, plasma membrane of rat lymphoid cells, detection of with lectin-peroxidase conjugates, biochemical and cytochemical EM study, 436

Cat, skeletal muscle, centrioles in intrafusal muscle fibers, light and EM study, 749

Catalase synthesis, intracellular pathway, in rat liver peroxisomes, biochemical and immunological study, 507

— synthesis, kinetics of, in rat liver peroxisomes, biochemical and immunological study, 491

Catecholamine metabolism in rat dissociated sympathetic neurons, biochemical study, 346

Cell cycle, HeLa cells, nuclear envelope-associated resumption of RNA synthesis in late mitosis, biochemical and autoradiographic EM study, 150

— cycle, role of cyclic AMP in mammalian cells in culture, review article, 549

Cells, anterior pituitary, rat, hormone secretion by, biochemical and autoradiographic and light and EM study, 276

—, chick embryo breast muscle, acetylcholine receptor, biochemical and cytological study, 241

Cells, Chinese hamster fibroblasts, mitochondria, induction of electron-dense structures by ethidium bromide, EM study, 260
—, CHO-Kl, antagonism by cyclic dibutyryl AMP and testosterone of cell rounding reactions, cytological study, 471
—, HeLa and L929, achromatic mitotic apparatus after membrane disruption, immunological and EM study, 643
—, HeLa, CHO, and L929, rapid simultaneous measurement of DNA, protein, and cell volume in single cells, fluorescence study, 766
—, HeLa S3, nuclear envelope-associated RNA synthesis resumption in late mitosis, biochemical and autoradiographic EM study, 150
—, HeLa S3, nucleus effect of metabolic inhibitors on pore formation, biochemical and light and EM study, 669
—, HEp-2, damage induced by poliovirus, cytochemical EM study, 530
—, hepatic, myocardial, and skeletal muscle, of rat, and human blood carcinoma, calcification in mitochondria, inorganic inclusions and organic binding site, EM study, 185
—, KB, isolation and properties of plasma membrane, biochemical and EM study, 421
—, mammalian, role of cyclic AMP in regulation of cell division, review article, 549
—, mouse Balb/3T3, viral and spontaneous transformants, surface morphology, scanning EM study, 633
—, mouse fibroblast 3T3 and Py3T3 lines, relationship of concanavalin A binding to lectin-initiated cell agglutination, biochemical and cytological study, 134
—, mouse kidney, lysosomal digestion of exogenous ribonuclease, biochemical study, 213
—, mouse macrophages, resting and phagocytizing, subplasmalemmal microfilaments and microtubules, EM study, 12
—, mouse Sarcoma I ascites, manganese stimulation of adhesion and spreading, cytological study, 165
—, mouse spleen and peritoneal, immobilization of membrane H-2 antigens by paraformaldehyde fixation, EM study, 537
—, parenchymal, rat liver, nonproliferating monolayer culture, biochemical study, 722
—, parenchymal, rat liver, nonproliferating monolayer culture, EM study, 735
—, rat dorsal root ganglia, effects of calcium on degeneration of amputated axons in tissue culture, light and EM study, 456
—, rat lymph node, detection of plasma membrane carbohydrates with lectin-peroxidase conjugates, biochemical and cytochemical EM study, 436
—, rat sympathetic ganglia, dissociated neurons, catecholamine metabolism, biochemical study, 346
—, rat sympathetic ganglia, dissociated neurons, conditions for long-term growth in culture, biochemical and histochemical study, 329
—, rat sympathetic ganglia, dissociated neurons, effect of age on metabolism, biochemical study, 361
Centrioles, intrafusal fibers of cat skeletal muscle, light and EM study, 749
Chicken, erythrocyte, nucleus, kinetics of glutaraldehyde fixation, histone-histone proximity, biochemical study, 304
—, oviduct, nuclei, comparison of isolation procedures, biochemical and EM study, 685
Chloroplast, *Ochromonas danica*, DNA synthesis, autoradiographic and light and EM study, 318
Cholinesterase, localization and properties, in crustacean muscle, biochemical and histochemical study, 407
Chromosomes, *Drosophila hydei* salivary gland, production and release of locus-specific ribonucleoprotein complex in polytene nuclei, EM study, 661
Clam *Spisula solidissima*, eggs and embryos, tubulin determination by isotope dilution—vinblastine precipitation, biochemical study, 755
Cobalt, mitochondrial density marker, in cytoplasmic exchange during matings of *Schizophyllum commune*, histochemical study, 127
Concanavalin A binding in 3T3 and Py3T3 cells, relationship to lectin-initiated cell agglutination, biochemical and cytological study, 134
Contractility, isolated cytoplasm of ameba *Chaos carolinensis*, chemical control, light and EM study, 378
Cortex, rat brain, isolation of neuronal nuclei and perikarya, biochemical and EM study, 762
Crustacean, crayfish *Procambus clarkii* and lobster *Homarus americanus*, tail muscle, localization and properties of cholinesterase, biochemical and histochemical study, 407
Cyclic AMP, role in regulation of mammalian cell division, review article, 549
Cytochalasin B-treated eggs of *Xenopus laevis*, new membrane formation during cytokinesis, transmission and scanning EM study, 89
Cytokinesis in normal and cytochalasin B-treated eggs of *Xenopus laevis*, new membrane formation, transmission and scanning EM study, 89
Cytoplasm, ameba *Chaos carolinensis*, chemical control of contractile movement, light and EM study, 378
— transfer during matings of *Schizophyllum commune*, cobalt as mitochondrial density marker, histochemical study, 127

D

Deoxyribonucleic acid, protein, and cell volume, rapid simultaneous measurement in single cells from large mammalian cell populations, fluorescence study, 766
—, replication schedule in heat-synchronized *Tetrahymena pyriformis*, cytofluorometric and autoradiographic study, 1
—, synthesis in chloroplast of *Ochromonas danica*, autoradiographic and light and EM study, 318

Deoxyribonucleic acid synthesis, mammalian cells, role of cyclic AMP, review article, 549
— synthesis, relationship to *Tetrahymena patula* encystment, biochemical and autoradiographic study, 615
Diaphragm, mouse, fenestrations of sarcoplasmic reticulum, lanthanum stain, EM study, 254
Dopamine synthesis in rat dissociated sympathetic neurons, biochemical study, 346
Ductuli efferentes and ductus deferens, rat testes, permeability of Sertoli cell tight junctions to lanthanum after ligation of, EM study, 559
Ductus deferens and ductuli efferentes, rat testes, permeability of Sertoli cell tight junctions to lanthanum after ligation of, EM study, 559

E

Echinoderm *Asterias amurensis*, *A. vulgaris*, *Asterina pectinifera*, and *Thyone briareus*, sperm, polymerization of actin in acrosomal process, biochemical and light and EM study, 109
—, protozoa, and bird, microtubules, 13 protofilaments, EM study, 267
Eggs, clam *Spisula solidissima*, tubulin determination by isotope dilution—vinblastine precipitation, biochemical study, 755
—, sea urchin, myosin-like protein in cortical layer, biochemical study, 542
—, snail *Ilyanassa obsoleta*, microfilaments in polar lobe constriction, EM study, 228
—, *Xenopus laevis*, normal and cytochalasin B-treated, new membrane formation during cytokinesis, transmission and scanning EM study, 89
Electron-dense structures in mitochondria induced by ethidium bromide, EM study, 260
Electrophoresis, isolated nuclei and nucleoli of rat liver, biochemical and light microscopic study, 601
Embryo, clam *Spisula solidissima*, tubulin determination by isotope dilution-vinblastine precipitation, biochemical study, 755
Encystment, protozoan *Tetrahymena patula*, macromolecular synthesis, biochemical and autoradiographic study, 615
Enzyme activities of plasma membrane of KB cells, biochemical and EM study, 421
—, alkaline phosphatase in contractile vacuole of *Acanthamoeba castellanii*, cytochemical EM study, 784
— characterization of rat liver Golgi fractions, biochemical study, 73
—, cholinesterase, localization and properties, in crustacean muscle, biochemical and histochemical study, 407
Enzymes, lysosomal, HEp-2 cells, effect of poliovirus, cytochemical EM study, 530
Erythrocyte, chicken, nucleus, kinetics of glutaraldehyde fixation, histone-histone proximity, biochemical study, 304
—, human, anti-spectrin-induced transmembrane aggregation of anionic binding sites, immunological and EM study, 395
Ethidium bromide induction of electron-dense structures in mitochondria, EM study, 260

F

Fibers, intrafusal, cat skeletal muscle, centrioles in, light and EM study, 749
Frog *Rana pipiens*, olfactory system, neuronal regeneration, EM study, 525
Fungus *Neurospora crassa*, mitochondria, membrane-associated ribosomes, EM study, 776

G

Gene regulation, 5S RNA synthesis in early development of nucleolar mutants of *Xenopus laevis*, biochemical study, 624
Glutaraldehyde fixation of chicken erythrocyte nuclei, histone-histone proximity, biochemical study, 304
Golgi fractions, rat liver, biochemical study, 73
— fractions, rat liver, insulin binding, biochemical and EM study, 771
— fractions, rat liver, isolation and morphological characterization, biochemical and EM study, 45
Granules, mitochondrial, rat lung granular pneumocytes, effect of hyperoxia, EM study, 246
—, specific rabbit polymorphonuclear leukocytes, association of alkaline phosphatase, biochemical and EM study, 696
Guinea pig, polymorphonuclear leukocytes, depression of phagocytosis by cyclic nucleotides, prostaglandins, and theophylline, biochemical study, 480

H

Heating, differential, of part of single living cell, use of microheater, physiological study, 595
Heme, role in catalase synthesis in rat liver peroxisomes, biochemical and immunological study, 491
Histone-histone proximity, chicken eucaryotic erythrocyte nuclei, glutaraldehyde fixation, biochemical study, 304
Hormones, growth hormone and prolactin, secretion by cells dissociated from rat anterior pituitary, biochemical and autoradiographic and light and EM study, 276
Human, blood lymphocytes, degradation of 28S RNA late in rRNA maturation, biochemical study, 250
—, erythrocyte, anti-spectrin-induced transmembrane aggregation of anionic binding sites, immunological and EM study, 395

I

Inclusions, inorganic, and organic binding sites, calcification of mitochondria, EM study, 185
Induction, sexual, in *Volvox carteri*, quantitative cytological study, 238
Insect, beetle *Pachnoda ephippiata*, basalar flight muscle, membrane specialization at myoneural junction, EM study, 143
— *Drosophila hydei*, salivary gland chromosomes, production and release of locus—specific ribonucleoprotein complex in polytene nuclei, EM study, 661

Insect, grasshopper *Dissosteira carolina*, spermatocyte, differential heating of part of single living cell, physiological study, 595
Insulin binding, rat liver Golgi fractions, biochemical and EM study, 771

J

Junction, myoneural, insect basalar flight muscle, membrane specialization, EM study, 143
—, tight, Sertoli cell, permeability to lanthanum after ligation of ductus deferens and ductuli efferentes, EM study, 559

L

Lanthanum permeability of Sertoli cell tight junctions, after ligation of ductus deferens and ductuli efferentes, EM study, 559
— stain of fenestrations of mouse diaphragm sarcoplasmic reticulum, EM study, 254
Lectin-initiated cell agglutination, relationship to concanavalin A binding, biochemical and cytological study, 134
Lectin-peroxidase conjugates, detection of plasma membrane carbohydrates, in rat lymphoid cells, biochemical and cytochemical EM study, 436
Leukocytes, polymorphonuclear, guinea pig, depression of phagocytosis by cyclic nucleotides, prostaglandins, and theophylline, biochemical study, 480
—, polymorphonuclear, rabbit, association of alkaline phosphatase with membrane of specific granules, biochemical and EM study, 696
Liver, rat, cell fractions, localization of polysome-bound albumin and serine dehydratase, biochemical and autoradiographic study, 28
—, rat, Golgi fractions, biochemical study, 73
—, rat, Golgi fractions, insulin binding, biochemical and EM study, 771
—, rat, Golgi fractions, isolation and morphological characterization, biochemical and EM study, 45
—, rat, nucleus and nucleolus, molecules at external surface, sialic acid of nuclear membranes, electrophoretic mobility, biochemical and light microscopic study, 601
—, rat parenchymal cells, nonproliferating monolayer culture, biochemical study, 722
—, rat, parenchymal cells, nonproliferating monolayer culture, EM study, 735
—, rat, peroxisomes, intracellular pathway of catalase synthesis, biochemical and immunological study, 507
—, rat, peroxisomes, kinetics of catalase synthesis, biochemical and immunological study, 491
Lung, rat, granular pneumocytes, effect of hyperoxia on mitochondrial granules, EM study, 246
Lymphocytes, human blood, degradation of 28S RNA late in rRNA maturation, biochemical study, 250
—, rat thoracic duct, fractionated by zonal centrifugation, distribution of lysosomes, biochemical and autoradiographic study, 177
Lysosomes, HEp-2 cells, effect of poliovirus on enzymes, cytochemical EM study, 530
Lysosomes, mouse renal cells, digestion of exogenous ribonuclease, biochemical study, 213
—, rat thoracic duct lymphocytes fractionated by zonal centrifugation, biochemical and autoradiographic study, 177

M

Manganese stimulation of adhesion and spreading by mouse Sarcoma I ascites cells, cytological study, 165
Membrane-associated ribosomes, *Neurospora crassa* mitochondria, EM study, 776
Membrane formation during cytokinesis in normal and cytochalasin B-treated eggs of *Xenopus laevis*, transmission and scanning EM study, 89
—, glial, arrangement of between adjacent neuromuscular synapses, in spider muscle, EM study, 234
—, HeLa and L929 cells, achromatic mitotic apparatus after disruption of, immunological and EM study, 643
—, human erythrocyte, effects of anti-spectrin γ-globulins on anionic binding sites, immunological and EM study, 395
—, mouse spleen and peritoneal cavity cells, immobilization of H-2 antigens by paraformaldehyde fixation, EM study, 537
—, nucleus and nucleolus of rat liver, sialic acid on external surface, electrophoretic mobility, biochemical and light microscopic study, 601
—, plasma, KB cells, isolation and properties, biochemical and EM study, 421
—, plasma, rat lymphoid cells, detection of carbohydrates with lectin-peroxidase conjugates, biochemical and cytochemical EM study, 436
— specialization at myoneural junction, insect basalar flight muscle, EM study, 143
—, specific granules of rabbit polymorphonuclear leukocytes, association of alkaline phosphatase, biochemical and EM study, 696
—, subplasmalemmal microfilaments and microtubules, mouse resting and phagocytizing macrophages, EM study, 12
Metabolism inhibitors, effect on nuclear pore formation during HeLa S3 cell cycle, biochemical and light and EM study, 669
Microfilaments, acrosomal process of echinoderm sperm, polymerization of actin, biochemical and light and EM study, 109
—, eggs of snail, polar lobe constriction, EM study, 228
— and microtubules, subplasmalemmal, mouse resting and phagocytizing macrophages, EM study, 12
Microheater, differential heating of part of single living cell, physiological study, 595
Microtubules, bird, echinoderm, and protozoa, 13 protofilaments, EM study, 267
— and microfilaments, subplasmalemmal, mouse resting and phagocytizing macrophages, EM study, 12
Mitochondria, Chinese hamster fibroblasts, electron-dense structures induced by ethidium bromide, EM study, 260

Mitochondria, *Neurospora crassa*, membrane-associated ribosomes, EM study, 776
—, rat hepatic, myocardial, skeletal muscle, and human bowel carcinoma cells, effects of calcification on inorganic inclusions and organic binding sites, EM study, 185
—, rat lung granular pneumocytes, effect of hyperoxia on granules, EM study, 246
—, rat pancreas, optimal conditions for isolation, biochemical and EM study, 222
—, *Schizophyllum commune*, cobalt as density marker in cytoplasmic exchange during matings, histochemical study, 127
Mitotic apparatus, achromatic, HeLa and L929 cells, after disruption of cell membranes, immunological and EM study, 643
Motility, contractile, isolated cytoplasm of ameba *Chaos carolinensis*, chemical control, light and EM study, 378
— and phototaxis, in *Chlamydomonas reinhardi*, biochemical study, 367
Mouse, diaphragm, fenestrations of sarcoplasmic reticulum, lanthanum stain, EM study, 254
—, spleen and peritoneal cavity cells, immobilization of membrane H-2 antigens by paraformaldehyde fixation, EM study, 537
Muscle, basalar flight, beetle, membrane specialization at myoneural junction, EM study, 143
—, crustacean, localization and properties of cholinesterase, biochemical and histochemical study, 407
—, skeletal, cat, centrioles in intrafusal muscle fibers, light and EM study, 749
—, spider, arrangement of glial membranes between adjacent neuromuscular synapses, EM study, 234
—, striated, mouse diaphragm, lanthanum stain of sarcoplasmic reticulum fenestrations, EM study, 254
Myoneural junction, insect basalar flight muscle, membrane specialization, EM study, 143
Myosin-like protein, in cortical layer of sea urchin egg, biochemical study, 542

N

Nerve fibers, rat sensory ganglia, degenerative changes in amputation, effects of calcium, light and EM study, 456
—, olfactory, frog, neuronal regeneration, EM study, 525
—, optic, rabbit, distribution of RNA after intraocular injection of uridine, autoradiographic light and EM study, 677
Neuromuscular synapses, spider muscle, arrangement of glial membranes between, EM study, 234
Neurons, dissociated, rat sympathetic ganglia, catecholamine metabolism, biochemical study, 346
—, dissociated, rat sympathetic ganglia, conditions for long-term growth in culture, biochemical and histochemical study, 329
—, dissociated, rat sympathetic ganglia, effect of age on metabolism, biochemical study, 361
Norepinephrine synthesis in rat dissociated sympathetic neurons, biochemical study, 346
Nuclear envelope-associated resumption of RNA synthesis in late mitosis of HeLa cells, biochemical and autoradiographic EM study, 150
Nucleolar mutants, *Xenopus laevis*, 5S RNA synthesis during early development, biochemical study, 624
Nucleolus and nucleus, rat liver, molecules at external surface, sialic acid of nuclear membranes, electrophoretic mobility, biochemical and light microscopic study, 601
Nucleus, chicken eucaryotic erythrocyte, kinetics of glutaraldehyde fixation, histone-histone proximity, biochemical study, 304
—, chick oviduct, comparison of isolation procedures, biochemical and EM study, 685
—, *Drosophila hydei* salivary gland chromosome, production and release of locus-specific ribonucleoprotein complex in, EM study, 661
—, HeLa S3 cells, effect of metabolic inhibitors on pore formation, biochemical and light and EM study, 669
—, neuronal, isolation from rat brain cortex, biochemical and EM study, 762
—, and nucleolus, rat liver, molecules at external surface, sialic acid of nuclear membranes, electrophoretic mobility, biochemical and light microscopic study, 601

O

Olfactory system, frog, neuronal regeneration, EM study, 525
Optic nerve, rabbit, distribution of RNA after intraocular injection of uridine, autoradiographic light and EM study, 677
Organic-inorganic relationship in calcified mitochondria, EM study, 185
Oviduct, chick, nuclei, comparison of isolation procedures, biochemical and EM study, 685
Ovomyosin, protein in cortical layer of sea urchin egg, biochemical study, 542
Oxygen, effect on mitochondrial granules of rat lung granular pneumocytes, EM study, 246

P

Pancreas, rat, isolation of highly purified mitochondria, biochemical and EM study, 222
Paraformaldehyde fixation, immobilization of membrane H-2 antigens, mouse spleen and peritoneal cavity cells, EM study, 537
Parotid gland, rat, temporal dissociation of maximal protein synthesis and secretion, biochemical and EM study, 709
Perikarya, neuronal, isolation from rat brain cortex, biochemical and EM study, 762
Peroxidase-lectin conjugates, detection of plasma membrane carbohydrates, in rat lymphoid cells, biochemical and cytochemical EM study, 436
Peroxisomes, rat liver, intracellular pathway of catalase synthesis, biochemical and immunological study, 507
—, rat liver, kinetics of catalase synthesis, biochemical and immunological study, 491

Phagocytosis, guinea pig polymorphonuclear leukocytes, depression by cyclic nucleotides, prostaglandins, and theophylline, biochemical study, 480
—, mouse macrophages, subplasmalemmal microfilaments and microtubules, EM study, 12
Phosphatase, alkaline, association with membrane of specific granules of rabbit polymorphonuclear leukocytes, biochemical and EM study, 696
—, alkaline, in contractile vacuole of *Acanthamoeba castellanii*, cytochemical EM study, 784
Phototaxis and motility, in *Chlamydomonas reinhardi*, biochemical study, 367
Pituitary, anterior, rat, hormone secretion by dissociated cells, biochemical and autoradiographic and light and EM study, 276
Plant, barley *Hordeum vulgare*, aleurone cells, osmotic regulation of α-amylase synthesis and polyribosome formation, biochemical and EM study, 444
Pneumocytes, granular, rat lung, effect of hyperoxia on mitochondrial granules, EM study, 246
Polar lobe constriction, in eggs of snail, microfilaments in, EM study, 228
Poliovirus-induced damage to HEp-2 cells, cytochemical EM study, 530
Polyribosome formation and α-amylase synthesis, osmotic regulation, aleurone cells of barley, biochemical and EM study, 444
Polysome-bound albumin and serine dehydratase, localization in rat liver cell fractions, biochemical and autoradiographic study, 28
Pore formation, HeLa S3 nucleus, effect of metabolic inhibitors, biochemical and light and EM study, 669
Prostaglandins, E_1, E_2, A_1, A_2, and F_2 α, theophylline, and cyclic nucleotides, depression of phagocytosis by polymorphonuclear leukocytes, biochemical study, 480
Protein absorption, mouse renal cells, lysosomal digestion of exogenous ribonuclease, biochemical study, 213
—, DNA, and cell volume, rapid simultaneous measurement in single cells from large mammalian cell populations, fluorescence study, 766
—, myosin-like, in cortical layer of sea urchin egg, biochemical study, 542
— synthesis, relationship to *Tetrahymena patula* encystment, biochemical and autoradiographic study, 615
— synthesis, temporal dissociation of from secretion, rat parotid gland, biochemical and EM study, 708
Proteolysis, enzymic, and solution composition, effect on conformation of sea urchin sperm axonemes, biochemical and light and EM study, 573
Protofilaments, 13 microtubules of protozoa, echinoderm, and bird, EM study, 267
Protozoan, ameba *Acanthamoeba castellanii*, contractile vacuole, alkaline phosphatase activity, cytochemical EM study, 784
—, ameba *Chaos carolinensis*, isolated cytoplasm, chemical control of contractile movement, light and EM study, 378
Protozoan, echinoderm, and bird, microtubules, 13 protofilaments, EM study, 267
— *Tetrahymena patula*, encystment, macromolecular synthesis, biochemical and autoradiographic study, 615
— *Tetrahymena pyriformis*, heat-synchronized, schedule of DNA replication, cytofluorometric and autoradiographic study, 1
— *Volvox carteri*, sexual induction, quantitative cytological study, 238
Puff, 2-48C region of *Drosophila hydei* salivary gland chromosome, production and release of ribonucleoprotein complex, EM study, 661

R

Rabbit, optic nerve, distribution of RNA after intraocular injection of uridine, autoradiographic light and EM study, 677
—, polymorphonuclear leukocytes, association of alkaline phosphatase with membrane of specific granules, biochemical and EM study, 696
Radioactive label, [^{14}C] amino acids and [^{3}H] amino acids, catecholamine metabolism in rat dissociated sympathetic neurons, biochemical study, 346
— label, [^{14}C] amino acids and [^{3}H] amino acids, conditions for long-term growth in tissue culture of rat dissociated sympathetic neurons, biochemical and histochemical study, 329
— label, [^{14}C] amino acids, [^{14}C] uridine, and [^{3}H] uridine, nuclear envelope-associated RNA synthesis in late mitosis of HeLa cells, biochemical and autoradiographic EM study, 150
— label, [^{14}C] α-amino-isobutyric acid, isolation and properties of plasma membrane of KB cells, biochemical and EM study 421
— label, [^{14}C] δ-amino-levulinic acid, [^{3}H] δ-amino-levulinic acid, [^{3}H] leucine, kinetics of catalase synthesis in rat liver peroxisomes, biochemical and immunological study, 491
— label, [^{14}C] δ-amino-levulinic acid, [^{3}H] leucine, intracellular pathway of catalase synthesis in rat liver peroxisomes, biochemical and immunological study, 507
— label, [^{14}C] choline and [^{3}H] puromycin, osmotic regulation of α-amylase synthesis and polyribosome formation in aleurone cells of barley, biochemical and EM study, 444
— label, [^{14}C] choline, [^{14}C] uridine, [^{3}H] tyrosine, effect of age on metabolism of rat dissociated sympathetic neurons, biochemical study, 361
— label, [^{14}C] glycine, rat liver parenchymal cells in nonproliferating monolayer culture, biochemical study, 722
— label, [^{14}C] leucine, [^{3}H] leucine, [^{3}H] orotic acid, and [^{125}I] sodium iodide, localization of polysome-bound albumin and serine dehydratase in rat liver cell fractions, biochemical and autoradiographic study, 28
— label, [^{14}C] phenylalanine, temporal dissociation of maximal protein synthesis and secretion in

rat parotid gland, biochemical and EM study, 708
Radioactive label, [^{14}C] sodium bicarbonate, [^{14}C] arginine, phototaxis and motility in *Chlamydomonas reinhardi*, biochemical study, 367
— label, [^{14}C] starch, depression of phagocytosis by cyclic nucleotides, prostaglandins, and theophylline, biochemical study, 480
— label, [^{14}C] thymidine, [^{3}H] leucine, [^{3}H] uridine, effect of metabolic inhibitors on nuclear pore formation during HeLa S3 cell cycle, biochemical and light and EM study, 669
— label, [^{14}C] UDP-galactose, rat liver Golgi fractions, biochemical study, 73
— label, [^{51}Cr] sodium chromate, manganese stimulation of adhesion and spreading by mouse Sarcoma I ascites cells, cytological study, 165
— label, [^{3}H] acetic anhydride, relationship of concanavalin A binding to lectin-initiated cell agglutination, biochemical and cytological study, 134
— label, [^{3}H] formaldehyde, tubulin determination by isotope dilution-vinblastine precipitation, *Spisula solidissima* eggs and embryos, biochemical study, 755
— label, [^{3}H] guanosine, [^{3}H] methionine, and [^{3}H] uridine, 5S RNA synthesis in early development of nucleolar mutants of *Xenopus laevis*, biochemical study, 624
— label, [^{3}H] leucine, hormone secretion by cells dissociated from rat anterior pituitary, biochemical and autoradiographic and light and EM study, 276
— label, [^{3}H] leucine, [^{3}H] thymidine, and [^{3}H] uridine, macromolecular synthesis and encystment of *Tetrahymena patula*, biochemical and autoradiographic study, 615
— label, [^{3}H] palmitic acid, isolation and morphological characterization of rat liver Golgi fractions, biochemical and EM study, 45
— label, [^{3}H] thymidine, lysosomes in rat thoracic duct lymphocytes fractionated by zonal centrifugation, biochemical and autoradiographic study, 177
— label, [^{3}H] thymidine, schedule of DNA replication in heat-synchronized *Tetrahymena pyriformis*, cytofluorometric and autoradiographic study, 1
— label, [^{3}H] uridine, comparison of isolation procedures for chick oviduct nuclei, biochemical and EM study, 685
— label, [^{3}H] uridine, distribution of RNA in rabbit optic nerve after intraocular injection of uridine, autoradiographic light and EM study, 677
— label, [^{125}I] neurotoxin, acetylcholine receptor in differentiating cultures of chick embryo breast muscle, biochemical and cytological study, 241
— label, [^{125}I] sodium iodide, insulin binding to rat liver Golgi fractions, biochemical and EM study, 771
— label, [^{125}I] sodium iodide, lysosomal digestion of exogenous ribonuclease by mouse renal cells, biochemical study, 213
— label, [methyl-^{3}H] methionine, degradation of 28S RNA late in rRNA maturation in human blood lymphocytes, biochemical study, 250
Radioactive label, [methyl-^{3}H] thymidine, DNA synthesis in chloroplast of *Ochromonas danica*, autoradiographic and light and EM study, 318
Rat, anterior pituitary, hormone secretion by dissociated cells, biochemical and autoradiographic and light and EM study, 276
—, brain, isolation of neuronal nuclei and perikarya from cortex, biochemical and EM study, 762
—, liver, cell fractions, localization of polysome-bound albumin and serine dehydratase, biochemical and autoradiographic study, 28
—, liver, Golgi fractions, biochemical study, 73
—, liver, Golgi fractions, insulin binding, biochemical and EM study, 771
—, liver, Golgi fractions, isolation and morphological characterization, biochemical and EM study, 45
—, liver, nucleus and nucleolus, molecules at external surface, sialic acid of nuclear membranes, electrophoretic mobility, biochemical and light microscopic study, 601
—, liver, parenchymal cells, nonproliferating monolayer culture, biochemical study, 722
—, liver, parenchymal cells, nonproliferating monolayer culture, EM study, 735
—, liver, peroxisomes, intracellular pathway of catalase synthesis, biochemical and immunological study, 507
—, liver, peroxisomes, kinetics of catalase synthesis, biochemical and immunological study, 491
—, lung granular pneumocytes, effect of hyperoxia on mitochondrial granules, EM study, 246
—, pancreas, isolation of highly purified mitochondria, biochemical and EM study, 222
—, parotid gland, temporal dissociation of maximal protein synthesis and secretion, biochemical and EM study, 708
—, testes, permeability of Sertoli cell tight junction to lanthanum after ligation of ductus deferens and ductuli efferentes, EM study, 559
—, thoracic duct lymphocytes fractionated by zonal centrifugation, distribution of lysosomes, biochemical and autoradiographic study, 177
Receptor for acetylcholine, in differentiating cultures of chick embryo breast muscle, biochemical and cytological study, 241
Ribonuclease, exogenous, lysosomal digestion of by mouse renal cells, biochemical study, 213
Ribonucleic acid, distribution in rabbit optic nerve after intraocular injection of uridine, autoradiographic light and EM study, 677
—, 28S, degradation of in rRNA maturation in human blood lymphocytes, biochemical study, 250
—, 5S, synthesis during early development of nucleolar mutants of *Xenopus laevis*, biochemical study, 624
— synthesis, relationship to *Tetrahymena patula* encystment, biochemical and autoradiographic study, 615
— synthesis resumption in late mitosis of HeLa cells,

· association with nuclear envelope, biochemical and autoradiographic EM study, 150
Ribonucleoprotein complex, locus-specific, production and release of in polytene nuclei of *Drosophila hydei* salivary gland chromosomes, EM study, 661
Ribosomes, *Neurospora crassa* mitochondria, association with membrane, EM study, 776
Rounding, of CHO-Kl cells, antagonism by dibutyryl cyclic AMP and testosterone, cytological study, 471

S

Sarcoplasmic reticulum, mouse diaphragm, delineation of fenestrations by lanthanum, EM study, 254
Sea urchin *Pseudocentrotus depressus*, egg, myosin-like protein in cortical layer, biochemical study, 542
— *Tripneustes gratilla*, sperm, axonemes, effect of solution composition and enzymic proteolysis no conformation, biochemical and light and EM study, 573
Sceretion, rat parotid gland, temporal dissociation from maximal protein synthesis, biochemical and EM study, 708
Secretory cells, somatotrophs, mammotrophs, thyrotrophs, gonadotrophs, and corticotrophs, of rat anterior pituitary, hormone release, biochemical and autoradiographic and light and EM study, 276
Serine dehydratase and polysome-bound albumin, localization in rat liver cell fractions, biochemical and autoradiographic study, 28
Sertoli cell tight junctions, permeability to lanthanum after ligation of ductus deferens and ductuli efferentes, EM study, 559
Sexual induction in *Volvox carteri*, quantitative cytological study, 238
Sialic acid, external surface of rat liver nucleus, biochemical and light microscopic study, 601
Snail *Ilyanassa obsoleta*, eggs, microfilaments in polar lobe constriction, EM study, 228
Solution composition and enzymic proteolysis, effect on conformation of sea urchin sperm axonemes, biochemical and light and EM study, 573
Spectrin, anti-, γ-globulins, effects on anionic binding sites of human erythrocyte membranes, immunological and EM study, 395
Sperm, echinoderm, polymerization of actin in acrosomal process, biochemical and light and EM study, 109
—, sea urchin, axonemes, effect of solution composition and enzymic proteolysis on conformation, biochemical and light and EM study, 573
Spermatocyte, grasshopper, differential heating of part of single living cell, physiological study, 595
Spider *Eurypelma marxi*, muscle, arrangement of glial membranes between adjacent neuromuscular synapses, EM study, 234
Surface morphology, viral and spontaneous transformants of mouse Balb/3T3 cells, scanning EM study, 633
Synapses, neuromuscular, spider muscle, arrangement of glial membranes between, EM study, 234

T

Temperature, differential heating of part of single living cell, physiological study, 595
Testes, rat, permeability of Sertoli cell tight junctions to lanthanum after ligation of ductus deferens and ductuli efferentes, EM study, 559
Testosterone and dibutyryl cyclic AMP, antagonism of cell rounding reaction, in CHO-Kl cells, cytological study, 471
Theophylline, prostaglandins, and cyclic nucleotides, depression of phagocytosis by polymorphonuclear leukocytes, biochemical study, 480
Thoracic duct lymphocytes, rat, fractionated by zonal centrifugation, distribution of lysosomes, biochemical and autoradiographic study, 177
Tissue culture, rat dissociated sympathetic neurons, catecholamine metabolism, biochemical study, 346
— culture, rat dissociated sympathetic neurons, conditions for long-term growth, biochemical and histochemical study, 329
— culture, rat dissociated sympathetic neurons, effect of age on metabolism, biochemical study, 361
— culture, rat dorsal root ganglia, effects of calcium on degeneration of amputated axons, light and EM study, 456
— culture, rat liver parenchymal cells in nonproliferating monolayer, biochemical study, 722
— culture, rat liver parenchymal cells in nonproliferating monolayer, EM study, 735
— culture, role of cyclic AMP in regulation of mammalian cell division, review article, 549
Toad *Xenopus laevis*, anucleolate and partial nucleolate mutants, 5S RNA synthesis during early development, biochemical study, 624
— *Xenopus laevis*, eggs, normal and cytochalasin B-treated, new membrane formation during cytokinesis, transmission and scanning EM study, 89
Topography, viral and spontaneous transformants of mouse Balb/3T3 cells, scanning EM study, 633
Tubulin determination by isotope dilution-vinblastine precipitation, *Spisula solidissima* eggs and embryo, biochemical study, 755

U

Uridine, distribution of RNA in rabbit optic nerve after intraocular injection of, autoradiographic light and EM study, 677

V

Vacuole, contractile, *Acanthamoeba castellanii*, alkaline phosphatase activity, cytochemical EM study, 784

Virus, polio, type 1 Mahoney strain, damage induced in HEp-2 cells, cytochemical EM study, 530

Volume, DNA, and protein, rapid simultaneous measurement in single cells from large mammalian cell populations, fluorescence study, 766

W

Water stress, effects on polyribosome formation, aleurone cells of barley, biochemical and EM study, 444

Statement of Ownership, Management, and Circulation required by Act of 12 August 1970; Section 3685, Title 39, United States Code: *The Journal of Cell Biology*. Published monthly at 1230 York Avenue, New York 10021 by The Rockefeller University Press, New York 10021. Editor: Raymond Griffiths, The Rockefeller University, New York 10021. Owned by The Rockefeller University, New York 10021, nonprofit corporation, authorized to mail at special rates. Purpose, function, and nonprofit status of the organization and the exempt status for Federal income tax purposes have not changed during the preceding 12 months. Following statistics represent 12 month average and number nearest to date of filing: copies printed for each issue, 5394; sales through dealers, street vendors, counter sales, 0; mail subscriptions, 4419. Total paid circulation, 4366; free distribution, 53; office use, leftover, unaccounted, spoiled, 975; net press run, 5394. Single issue nearest filing date September 1973. (Signed W. A. Bayless, Director.)